
Page 1 of 7



# **Material Safety Data Sheet**

# United Phosphorus, Inc.



Issued Date 22-Aug-2007

Revision Date 13-Jan-2009

Revision Number: 2

12U-142B - WEEVIL-CIDE Gas Bags

# 1. PRODUCT AND COMPANY IDENTIFICATION

Emergency Telephone Number

(866) 673-6671 (24hrs)

Phone Number

1-800-438-6071

610-878-6100

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887

Medical: Rocky Mountain Poison Control Center

UPI 630 Freedom Business Center Sulte 402 King of Prussia,PA 19406

Company Information

UPI

Contact Information
Customer Service

R&D Technical Service

Product Name EPA Reg # Recommended Use Product Code WEEVIL-CIDE Gas Bags

70506-15 Fumlgent 12U-142B

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Aluminum phosphide - reacts with water to produce phosphine gas (PH3).

Ammonium carbamate releases ammonia and carbon dioxide.

Dangerous when wet Fatal if swallowed or inhaled.

When sealed containers are opened contact with the moisture in the air will cause phosphine gas to be released.

Phosphine is spontaneously flammable in air.

DANGER

Appearance light grey, to, Greenish.

Physical State Solid. Pellet/tablet.

Odor Garlic like. Pure phosphine gas is odorless but a garlic odor might be detected due to a contaminant. Since odor may not be detected under certain circumstances, the absence of a garlic odor does not mean that phosphine gas is absent...

Available Hrs

8:00 am to 5:00 pm EST

8:00 am - 5:00 pm (EST)

Potential Health Effects

Page 2 of 7

- Inhalation

- Ingestion

- Skin contact **Acute Effects**  Phosphine gas is odorless. Accidental ingestion of aluminum phosphide or inhalation of phosphine gas have been reported to produce CNS depression, pulmonary edema,

respiratory distress syndrome, cardiac dysrhythmias, seizures, liver injury and renal

failure.

Eyes Skin

Imitating to eyes.

Inhalation

Imitating to skin. Fatal if inhaled - Do not breathe mist/vapors..

Ingestion

Fatal if swallowed - Do not eat, drink, or smoke while handling this product. .

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	OSHA PEL	
Aluminum phosphide	20859-73-8	60	N/A	

#### 4. FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after

5 minutes, then continue rinsing eye.

Skin Contact

Brush or shake off material. Wash contaminated skin with

soapy water in a well ventilated area.

Call poison control center or doctor for treatment advice.

Inhalation

Move person to fresh alr.

If person is not breathing, call 911 or an ambulance, then give

artifical respiration.

Call a physician or Poison Control Centre Immediately

Ingestion

immediate medical attention is required

Call a physician or Poison Control Center Immediately

Do not induce vomiting unless told to do so by a poison control

center or doctor

Vomiting may off-gas and release phosphine, which could

pose a risk of secondary contamination.

Do not give water (potential additional formation of phosphine)

unless authorized by a physician.

Notes to Physician

Aluminim phosphide- This product reacts with moisture from air, water, acids and many other liquids to release hydrogen phosphide (phosphine) gas, Symptoms of severe polsoning may occur within a few hours to several days. Phosphine poisoning may result in; pulmonary edema, liver elevated serum GOT, LDH and alkaline phosphatase, reduced prothrombin, hemmorhage and jaundice, and kidney hematuria

and anauria. Pathology is characterized by hypoxia.

#### 5, FIRE-FIGHTING MEASURES

Flammable Explosive Properties

Flash Point

Aluminum phosphide - is not flammable. However, it reacts readily with water to produce hydrogen phosphide (phosphine, PH3) gas which may ignite spontaneously in air concentrations

1/27/2009

file://H:\tall.htm

Page 3 of 7

Autoignition Temperature

above the LEL of 1.8% v/v. Not available

Flammability Limits in Air Lower 1.8% V/V

Carbon dioxide (CO2) Dry powder Dry chemical Sand Extriguishing Media

Fire/Explosion Hazard

Alphos = Hydrogen phosphide (Phosphine)/air mixtures at concentrations above the lower flammable limit may ignite spontaneously, Ignition of high concentrations of hydrogen phosphide can produce a very energetic reaction. Explosions can occur under these conditions and may cause personal injury. Never allow the build- up of hydrogen phosphide to exceed explosive concentrations. Containers of metal phosphides should be opened in open air and never in a flammable atmosphere. Do not confine spent or partially spent dust from metal phosphide furnigants as slow release of the hydrogen phosphide from these materials may reusit in formation of an explosive atmosphere. Spontaneous ignition may occur if large quantities of aluminum phosphide are piled in contact with liquid water. Fires containing hydrogen phosphide or metal phosphides will produce phosphoric acid by the following reaction: 2PH3 + 4O2 = H2O + P2O5 = 2H3PQ4

Hazardous Combustion Products

Phosphine gas.

NFPA.

Health 4

Flammability 4

Instability 2

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Remove all sources of ignition. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment,

**Environmental Precautions** 

Do not flush into surface water or sanitary sewer system. Should not be released into the environment.

Methods for Clean-up

Do not use water at any time during clean-up. Wear gloves when handling aluminum phsophide . Damaged aluminum flasks should be transferred to a sound dry metal container and immediately seal and properly label as aluminum phosphide. Follow all label instructions for disposal of residual material and/or empty containers. ,

## 7. HANDLING AND STORAGE

Handling

Keep out of reach of children. Do not eat, drink or smoke when using this product. Remove all sources of ignition. Wear personal protective equipment. It is recommended that the gas-tight, aluminum flask be opened in open air or near a fan, which exhausts outside immediately. Never open in a flammable atmosphere as the product may, although rare, flash. When opening, point container away from the face and body. These precautions will reduce the applicators potential for exposure to hydrogen phosphide (phosphine) gas. Do not expose product to atmospheric moisture any longer than is necessary.

Storage

Store in cool/well-ventilated place. Store in original container. . Keep away from heat and sources of ignition. Do not store in buildings where humans or domestic animals reside...

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

**Engineering Controls** 

Investigate engineering techniques to reduce exposures, Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems. . Use equipment/monitors for the detection of phosphine

1/27/2009

Page 4 of 7

cas.

Personal Protective Equipment Eyelface Protection

Where there is potential for eye contact have eye flushing equipment available.. Eye contact should be avoided through the use of chemical safety glasses, goggles, or a

faceshield selected in regard to exposure potential..

Wear protective gloves/clothing.

Skin Protection Respiratory Protection A NIOSH/MESA approved full face mask with approved canister for phosphine may be employed for concentrations up to 15 ppm. At concentrations above that level, or when concentration is unknown, NIOSH/MESA approved SCBA or equivalent must be worn. .

General Hyglene Considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection, Wear respiratory protection. .

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

light grey to Greenish

Odor

pH

Garlic like Pure phosphine gas is odorless but a garlic odor

might be detected due to a contaminant. Since odor may not be detected under certain circumstances, the absence of a garlic odor does not mean

that phosphine gas is absent. No data available

Physical State Boiling Point/Range Specific Gravity **Evaporation Rate** Vapor Density Viscosity

Solid Pellet/tablet Not available 2.85 Not available Not available Not available

No data avallable

Not available

Melting Point/Range Solublilty Vapor Pressure **VOC Content** Molecular Weight Percent Solids

Not available Insoluble Not available Not available No data available Not available

# 10. STABILITY AND REACTIVITY

Stability

**Bulk Density** 

Percent Volatiles

This product is stable to most chemical reactions except for hydrolysis. A component of this product, aluminum phosphide, reacts with moisture from the air, water, acids and many other liquids to produce toxic and flammable hydrogen phosphine gas. Pure hydrogen phosphide (phosphine) gas is practically insoluble in water, fats and oils and is stable at normal fumigation temperatures.

Conditions to Avoid

Exposure to moisture. Protect from water.

incompatible Materials

oxidizers. Water - moisture. Hydrogen phosphide may react with certain metals (gold, silver, brass, other precious metals and their alloys) and cause corrosion especially at high temperatures and relative humdities. Small electric detectors, brass sprinkler heads, batteries and battery chargers, forklifts, temperature monitoring systems, electrical switch gear, communication devices, computers, calculators, watches and other electronic equipments shoul dbe protected or removed before fumigation. . Hydrogen phosphide gas will also react with certain metallic salts and, therefore such items as photographic film, copying papers and some inorganic pigments, etc. should not be exposed. .

Hazardous Decomposition Products

Phosphine gas.

Possibility of Hazardous Polymerization

Hazardous polymerisation does not occur

#### 11. TOXICOLOGICAL INFORMATION

1/27/2009

Page 5 of 7

Acute Toxicity

Component Information

Aluminum phosphide -

Acute oral LD50 = 11.5 mg/kg

Acute dermal LD50 = >5,000 mg/kg (1 hr exposure)

Sensitization = Not a sensitizer

Hydrogen phosphide (phosphine) gas -Inhalation = LC50 190 ppm (1 hour)

Chronic Toxicity

Aluminum phosphide:

Chronic effects = Not expected to produce target organ effects

Carcinogenicity

Mutagenicity = No data Carcinogenicity = Not classified as a carcinogen by IARC, OSHA, or NTP

Reproductive and Developmental Effects = Not expected to produce reproductive or

developmental effects.

Hydrogen phosphide (phosphine) gas -

Chronic effects = in a 2-year study, rats were exposed to 48-90 g/m3 of feed and no

overt systemic toxicity was noted.

Mutagenicity = increased frequency of cells with structural chromosomal abenrations

noted in an invitro cytogenetic assay with Chinese hamster ovary cells.

Carcinogenicity = Not classifled as a carcinogen by IARC, OSHA or NTP Reproductive and developmental effects = Not expected to product reproductive or

developmental effects...

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Highly toxic to wildlife. Non-target organisms exposed to phosphine gas in burrows will be killed. .

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for

guidance. . Follow label for proper disposal instructions. .

Contaminated Packaging

Empty containers may container hazardous residues. Containers should be handled as instructed by following all container disposal directions.

#### 14. TRANSPORT INFORMATION

DOI

Proper Shipping Name

Aluminum phosphide mixture 4.3

Hazard Class Subsidiary Class

6.1

UN-No Packing Group UN1397 PG I

Reportable Quantity (RQ):

100 lbs

ICAQ

UN-No

1397

Proper Shipping Name

Hazard Class

Aluminum phosphide 4.3

Subsidiary Class

6.1

1/27/2009

Page 6 of 7

**Packing Group** 

Description

PGI

Forbidden by passenger alroraft

JATA

UN-No

1397

Proper Shipping Name

Aluminum phosphide 4.3

Hazard Class Subsidiary Class Packing Group **ERG Code** 

6.1 PG I 4PW

IMDG/IMO

Proper Shipping Name

Aluminum phosphide

Hazard Class Subsidiary Class UN-No

6.1 1397 PG I

**Packing Group** EmS No.

F-G, S-N

# 15. REGULATORY INFORMATION

#### International Inventories

Aluminum phosphide

NDSL

Listed

EINECS/ELINCS CHINA

Listed Listed

KECL

Listed

USA

#### Federal Regulations

**SARA 313** 

CAS-No	Weight %		
20859-73-8	60		
	CAS-No		

SARA 311/312 Hazardous Categorization

No Chronic Health Hazard Yes Acute Health Hazard Yes Fire Hazard No Sudden Release of Pressure Hazard Yes Reactive Hazard

#### Clean Water Act

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) This product does not contain any HAPs.

CEDCI A

C	ERCLA		
	Chemical Name	RQ	
	Aluminum phosphide	Listed.	

Chemical Name	CERCLA EHS RQs	
Aluminum phosphide	100 lbs	

RCRA			
Chemical Name	RCRA - D Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Aluminum phosphide		P006	

Page 7 of 7

#### Pesticide Information

#### State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know					
Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum phosphide	Listed.	Substance no. 0063	Listed.	Listed.	

International Regulations

Mexico - Grade

Not available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Not determined

#### 16. OTHER INFORMATION

Revision Date

13-Jan-2009

Revision Summary Update section 15

UPI, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process, Further, since the conditions and methods of use are beyond the control of UPI, Inc. UPI, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS